## PATENT SPECIFICATION

NO DRAWINGS



965,010

Date of Application and filing Complete Specification Jan. 18, 1962. No. 1970/62.

Application mode in France (No. 41127) on Jan. 18, 1961.
Application made in France (No. 41361) on March 15, 1961.
Complete Specification Published July 29, 1964.

© Crown Copyright 1964.

Index at acceptance: —C1 A(D10, D51, D52, G3, G12), G3D10, G3D51, G12D51, G12D52; C1 B(3A1, 3C2, 3C4, 3F2)

International Classification: -C 01 b, g (C 05 d)

## COMPLETE SPECIFICATION

## Improvements in or relating to Compositions Containing Silver Halide

We, SOCIETE DE RECHERCHES SCIENTI-FIQUES of 1, Place Puvis-de-Chavannes-LYON (Rhone), FRANCE, a French body corporate, do hereby declare the invention, for which we pray that a patent may be granted to us, and the method by which it is to be performed, to be particularly described in and by the following statement:—

This invention relates to compositions containing silver halide and to methods of pre-

paring the same.

The silver ion has a restricted use in the field of general biology. This is probably due to a too ready acceptance of the conclusions drawn from the work of Raulin who demonstrated that infinitesmal traces of silver completely stop the development of Sterigmaticystis nigra, said conclusions heretofore being considered valid with respect to any living cell, both animal and vegetable. The work of Raulin was the starting point of attempts to use silver and its salts e.g. the nitrate, colloidal silver and the like, as antiseptics. In other words, in the field of biology, silver has been considered only as an antiseptic, astringent or caustic agent.

In a different art, namely that of organic synthesis, the catalytic role of silver is well

known.

It is an object of the present invention to provide a silver-ion containing composition having a novel, bio-catalytic action which can be used both in the animal and vegetable biological arts.

According to one aspect of the invention there is provided a composition comprising an insoluble silver halide, a silver-sodium or silver-potassium thiosulphate complex and a silver thionate.

The invention also provides a method of preparing such a composition, which method [Price 4s. 6d.]

comprises the steps of (a) admixing a silver halide with a solution of a sodium or potassium thiosulphate to form a suspension, (b) thereafter admixing the suspension with a quantity of acid sodium or potassium sulphite and (c) concentrating the resulting mixture to form the desired composition, at least steps (a) and (b) being carried out in the dark or in red light.

Preferably, the silver halide used is silver chloride.

As regards the animal biological art, it has now been determined that local therapeutic applications of silver ion in the form of silver chloride followed by ultra-violet irradiations permit the accelerated regeneration of superficial and subjacent tissues, notably, osseous tissues.

As regards the vegetable biological art, laboratory and field tests have demonstrated that a slightly ionized silver salt, such as a silver halide, e.g. silver chloride, used under controlled conditions in small doses, will not only have no toxic effect but will, on the contrary, promote the development of crops and make it possible to obtain higher crop yields.

However, in both of the above mentioned uses, it is found that the rapid reduction of silver salt by light has the result that manipulations of the chloride or other halide alone encounter considerable difficulties.

Investigation has, however, shown that, in accordance with the present invention, the use of silver chloride is greatly facilitated when it is used in admixture with a silver complex which has been adapted for use in the same biological sense. Thus, the composition of the invention contains, in addition to the silver halide, a double silver and sodium (or potas-

15

55

70

80

55

sium) thiosulphate complex which has been treated with acid sodium (or potassium) sulphite, which results in the formation of thionates. In general, the composition contains a mixture of two or more of the di-, tri-, tetra-, penta- and hexa-thionates, the specific thionates present and the relative quantities thereof depending on the pH of the reaction mixture.

The compositions of the invention have the 10 important advantage that the silver halide contained therein is reduced much more slowly than normally, thus making its use for agricultural or medicinal purposes possible.

A more detailed description of the preferred method by which the compositions of the invention can be prepared will now be given, by reference to the following Example 1.

## EXAMPLE 1

Silver chloride was prepared, in darkness 20 or in red light, by precipitation from a solution of AgNO<sub>3</sub> (1 kilo) using an excess of sodium chloride. After a washing with distilled water, the silver chloride was then added to a concentrated solution of sodium thiosulphate (1

kilo) to form a suspension of silver chloride in a solution of the double silver and sodium

thiosulphate salt. 200 ml. of acid sodium sulphite were added to the stirred suspension of silver chloride in the solution of silver and sodium thiosulphate. (The resulting mixture may then, if desired, be handled by daylight.) The mixture was concentrated in vacuo at a temperature in the range of from 70-80° C. During this concentration, a portion of the sulphite decomposed, evolving sulphur dioxide, whilst the other portion formed with the thiosulphate silver thionates which ultimately ensured the stability of the product during the drying process, and, thereafter, during use of the composition.

In accordance with a preferred procedure, the concentrated mixture was pulverised and passed through a sieve. (These operations are preferably carried out in reduced or weak light or, better still, in a red light since handling of the powder under bright light may cause a superficial blueing.) The basic composition was preserved in brown bottles provided with a ground stopper and kept in a dark place.

The preferred composition thus formed constituted a ready-for-use base composition in accordance with the invention and is defined by the following composition:

Silver chloride -14.3% by weight -Double silver and sodium thiosulphate complex+silver thionates 72.6% by weight (Ag;S;O,.2Na;S;O,.2H,O+  $\times$  Ag.S.O.) Sodium chloride 13.1% by weight

The composition had a silver titer of about 30%. The theoretical percentage of silver is 33.8% and the theoretical yield taking into account the water of crystallization is 1.874 kg. of composition starting with 1 kg. of AgNO, and 1 kg. of Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>.

The compositions of the invention are used advantageously in association with compounds having a physiological or biological activity, such as steroids, e.g. a cholesterol and ergosterol. Due to the action of ultra-violet rays, ergosterol is "activated" to form D<sub>2</sub>-vitamin; the silver composition accelerates this activation. Cholesterol is not transformed into an active vitamin D product but it does play the 75 part of a filter absorbing noxious ultra-violet radiations having a wavelength of less than 2,500 A. Although the addition to the composition of one or more sterols e.g. ergosterol; 7,8-dehydro-cholesterol; 7 - hydroxy-80 cholesterol and 22-dehydrocholesterol, which are precursors of compounds with vitamin D action, is not compulsory, since certain precursory sterols exist normally in the irradiated organism, it is nevertheless very important in the use of the silver composition for the reasons indicated above. An example of a composition containing such sterol additives is given below:

EXAMPLE 2

10 g. (a) silver composition (Example 1) (b) cholesterol 10 g. (c) ergosterol (or any other sterol which can be activated). -(d) fatty excipient, such as vaseline,

· 100 g. q.s. for Examples of medicinal uses of the compositions of the invention are (a) the treatment of paradentosis, stomatitis, gingivitis and maxillo-facial diseases, (b) consolidation of dental implants, (c) consolidation of certain 100 fractures, (d) treatment of acne and (e) beauty treatment.

Thus, for example, after massage of the gums, several decigrams of the above-exemplified composition (Example 2) are spread 105 over the part to be treated, which is then subjected to an accurately localized ultraviolet irradiation. The time of irradiation varies from 1 to 3 minutes, depending on the progress of the treatment. This operation 110 causes a degradation of the complex which an be detected by a blackening of the composition. The region treated is then protected by a wad of cotton for 5 to 10 minutes, during which time the irradiated product con- 115 tinues its action in situ.

Examples of the agricultural use of com-

40

		-
5	positions in accordance with the invention are given below. A composition such that that prepared in Example 1 is generally used only after having been diluted with an inert diluent, for example, heavy calcium carbonate powder. The dilution varies with the mode of application and the optimum concentration waries according to the species of plant to be treated.  Examples of compositions and their use in agriculture are given below.  EXAMPLE 3  A mixture for scattering on the ground is made up as follows:	10
15	Silver composition (Example 1) 1 to 10% by weight Dried blood 5% by weight Calcium carbonate Balance	
20	A composition for applying as a coating to seeds was prepared by diluting the composition of Example 1 with heavy calcium carbonate and then adding cholesterol and paraffin oil. The latter substrates approach to the seeds.  As far as this technique is concerned, the composition may advantageously be mixed with preparations which include fungcidal	35
25	tribution, adhesion and diffusion of the composition throughout the seeds. The concentrations of active constituent vary from 1 to 25%, depending on the species of seed to be treated.  The amount of coeting composition which is a substances for disinfecting the seeds, for example organomercuric compounds, cupric compounds, dimethyldithiocarbamate of zinc, dimethyldithiocarbamate of zinc.	40
30	is of the order of 200 to 600 g. per quintal (approximately a 100 kg.) of seeds, the actual when replanting was prepared as follows:	
45	Silver composition (Example 1) 0.1 to 1% by weight Cholestesterol 1 to 2% by weight Diluent Balance	
	Various compositions according to the invention were used in several agricultural tests and the observations made are recorded below.	
50	A. Plant tested —Tomatoes, Morand variety Time and place —1959: Aix en Provence (Bouches-du-Rhone) France Method of testing —three seed samples:	
	(a) control batch of seeds	
55	(b) seeds covered with a composition having 2% of the active ingredient	
60	(c) seeds covered with a composition as in (b) and then on replanting the roots were dusted with a composition having 0.1% of active ingredient.	
65	Observations—Covering of the seeds only caused an increase in the crop yield of 26.3% over the control crop. The additional treatment during replanting resulted in an increase of 38.4% over the control crop.  Conclusions—The silver complex caused the control crop.	70
75	B. Plant tested —Sugar-beet Time and place —1959, 1960, 1961: Mereville (Seine and Oise), France Method of testing —seed samples were coated with compositions	
80	containing silver complex as the only active ingredient in various concentrations and with compositions containing the silver complex associated with a cupric fungicidal agent (copper oxinate).	

15

Results—The treatment of sugar-beet seeds with preparations having 5% of active ingredient produced constant results in an exceptionally dry year, as well as in an exceptionally humid year. During the very dry 1959 season, the increase in crop yield was of the order of 2 to 3 tons on 25 tons/hectare. During the very humid 1960 season, the increase in crop yield was 5 tons on 50 tons/ hectare in two different tests. In the 1961 season, when climatic conditions were average, similar tests confirmed the above results.

Plant tested—French (or string) beans Time and place—1961: Barreuil (North of France)

In industrial farming producing beans for canning, plots of cultivated land were treated at the time of sowing with a powder having 2% of active ingredient and gave a bean yield which was 17% greater than that of a control plot.

WHAT WE CLAIM IS:-

A composition comprising an insoluble silver halide, a silver-sodium or silver-potassium thiosulphate complex and a silver thionate.

1. A composition comprising an insoluble silver halide, a silver complex and a silver thionate.

1. A composition comprising an insoluble silver halide, a silver silver silver silver silver.

2. A composition according to Claim 1, wherein the silver halide is silver chloride.

A composition according to Claim 1 or
 and further comprising one or more steroids.
 A composition according to Claim 3, wherein said steroids are ergosterol and a cholesterol.

5. A composition according to any preceding claim and further comprising an inert diluent.

 A composition substantially as described in any one of the foregoing Examples.

7. A method of preparing a composition as claimed in Claim 1, which method comprises the steps of (a) admixing a silver halide with a solution of a sodium or potassium thiosulphate to form a suspension, (b) thereafter admixing the suspension with a quantity of acid sodium or potassium sulphite and (c) concentrating the resulting mixture to form the desired composition, at least steps (a) and (b) being carried out in the dark or in red light.

8. A metohd according to Claim 7, wherein said mixture is concentrated in vacuo at a temperature in the range of from 70° to 80° C.

9. A method according to Claim 7 or 8,

wherein the silver halide is silver chloride.

10. A method according to Claim 7, 8 or 9, wherein the concentrated mixture is dried and pulverized.

11. A method of preparing a composition as claimed in Claim 1, substantially as described in the foregoing Examples.

60

12. A composition whenever prepared by the method claimed in any one of Claims 7 to 11.

HASELTINE, LAKE & CO.,
Chartered Patent Agents,
28 Southampton Buildings, Chancery Lane,
London, W.C.2.
Agents for the Applicants.

Leamington Spa: Printed for Her Majesty's Stationery Office by the Courier Press.—1964.
Published at The Patent Office, 25, Southampton Buildings, London, W.C.2, from which copies may be obtained.